



PerinatalNB

THE NEW-BRUNSWICK
PERINATAL HEALTH PROGRAM

Coding Manual

3M Perinatal

1st Edition - 2015

****Revised – April 2023***

Table of Contents

General Information	7
Reproductive Chapter in 3M.....	7
Institutions of New Brunswick	9
Reproductive Chapter	10
Gravida.....	10
Parity	10
Previous Stillbirths	10
Previous Neonatal Deaths.....	10
Previous Caesarean Sections	11
Pregnancy outcome	11
Termination of Pregnancy.....	11
Number of babies at birth.....	12
Pregnant Individuals Information Chapter	13
Work Status.....	13
Mother's Education.....	13
Mother's Ethnicity.....	14
Marital Status.....	14
Partner's Work Status	15
Smoked Before Pregnancy	15
Number of cigarettes	15
Smoking during pregnancy	16
Number of cigarettes	16
Exposure to 2nd Hand smoke	16
Alcohol Use Before Pregnancy.....	17
Alcohol Intake Before.....	17
Alcohol Use During Pregnancy	17
Alcohol Intake During.....	18
Pre-pregnancy Marijuana Use	18
Pregnancy Marijuana Use	18
Pregnancy Marijuana Intake	19
Substance use	19
Folic Acid.....	20

Pregnancy on Contraceptive.....	20
Method of Conception.....	20
Previous OBS History Chapter.....	21
Antenatal Provider.....	21
First Antenatal visit.....	21
Intention to Breastfeed.....	21
First Ultrasound date.....	22
Details of First Trimester Ultrasound.....	22
EDD According to LMP.....	22
EDD According to Ultrasound.....	22
Amniocentesis.....	22
CVS.....	23
Maternal Serum testing.....	23
Medical Risk Factors.....	24
Diabetes Treatment.....	24
Urinary Tract Infection.....	24
Group B Strep Results.....	24
Covid-19 Diagnosis in.....	25
Covid-19 Vaccination.....	25
Labour and Delivery Chapter.....	26
Height in cm.....	26
Pre-Pregnancy Weight (kg).....	26
Pre-Delivery Weight (kg).....	27
Type of Labour.....	27
Indications for Induction.....	28
Oxytocin (to induce).....	28
Prostaglandin (to induce).....	29
Membrane Rupture Date/Time.....	29
Tocolytics Administered.....	29
Antenatal Steroids.....	30
Fetal Heart Monitor.....	30
Mode of Delivery.....	31
Indication for Caesarean.....	32

VBAC Eligibility	33
Pain Management Method.....	33
Neonate Chapter.....	34
Presentation of Fetus.....	34
Place of birth.....	34
Gestational Age.....	34
Neonatal Assessment.....	35
Birth Length (cm)	35
Head Circumference (cm)	35
Apgar Score 1 minute.....	35
Apgar Score 5 minute.....	35
Ventilation: Bag and Mask	36
Delayed/Deferred Cord Clamping.....	36
Time of Delayed Cord Clamping.....	36
Abnormal Conditions of the Newborn.....	37
Admission to SCU.....	37
Stillborn Cases.....	37
Stillborn.....	37
Project 400- Infant Feeding Form - OLD	38
Uninterrupted Skin to Skin with mother.....	38
Breastmilk during Hospital stay	38
From Birth to discharge/transfer	38
Breastmilk at discharge/transfer	38
Medical conditions affecting.....	38
Project 400- Infant Feeding Form - NEW	39
1.1 Skin-to-skin Immediate	39
1.2 Skin-to-skin Uninterrupted	39
2.1 Breastfed prior to hospital discharge	39
2.2 Breastfed within 1 hour	39
2.3 Feeding Birth to discharge/transfer.....	39
2.4 Medical conditions affecting.....	39
Midwifery Care Record-Maternal	40
Date of first prenatal visit	40

Gestational age	40
Intended place of birth during	40
Hospital	40
Intended place of birth at onset	40
Actual place of birth.....	40
Labour	40
Birth.....	41
Immediate Postpartum	41
Was there a transfer to hospital	41
Was there a transfer to hospital using.....	41
If yes, was the transfer by:.....	42
Second attendant during a home birth	42
Was there a Transfer of Care	42
If yes, was the transfer temporary.....	42
Was there a consultation.....	42
Did the client leave midwifery care	43
If yes, why?	43
Does the client fall into any	43
Date of discharge from Midwifery care	44
Midwifery Care Record-Infant	45
Skin to Skin.....	45
First feeding after birth.....	45
Did the infant experience any.....	45
Did the mother experience any	45
Feeding from birth to discharge	46
Indication for Supplementation.....	46
Transfer of Care to another	46
Consultation with another	46
Discharge date from Midwifery care	46
Maternal and Newborn Diagnostic and Intervention Codes	47
ICD-10-CA Chapters.....	47
CCI Sections.....	47
Contact Information.....	47

Appendix A - List of field changes and modifications 48

General Information

The Perinatal Chapter in 3M must be abstracted for any Main Patient Service (MPS) of **51 - OBS Delivered, 54 - Newborn** and/or **97 - Neonatology**. Some exceptions may apply in MPS of **20 - Pediatrics, 53 - OBS Aborted** and **89 - Stillborn**. Please see below for further information.

You only need to capture the **Neonate Chapter** for the baby's birth. If the baby was transferred from another facility, you do not need to capture the perinatal information. If the baby is born, then re-admitted into 97 - neonatology, you do not need to capture the perinatal information, as it should have been captured at birth.

Reproductive Chapter in 3M

3 of the perinatal fields must be answered for all deliveries and therapeutic abortions (TA). This includes all patients who are admitted as an **inpatient** or as a **day surgery patient**.

The following fields "Pregnancy outcome, termination of pregnancy and number of babies at birth/termination" must be captured for all 'Main Patient Service (MPS) of **51 - OBS delivered, 53 - OBS aborted and therapeutic abortions in NACRS**

STILLBORN CASES

A patient with a MPS of **89 - stillborn**, must capture the field 'stillborn' located in the Neonate Chapter in 3M.

Please see below a list of which Perinatal Chapters to complete with each Main Patient Service:

Main Patient Service	51 OBS Delivered	*54 Newborn	*97 Neonatology
Perinatal Chapter	8 fields-Reproductive	Neonate	Neonate
	Mother's Information		<i>* only capture the neonate information during the birth admission. If transferred from another facility, you do not need to capture the perinatal information of the baby.</i>
	Prev. OBS History		
	Labour + Delivery		

Main Patient Service	*20 Pediatrics / 97 Neonatology WITH Admit Category of NEWBORN
Perinatal Chapter	Neonate

** This is new for DAD FY 2016-2017, Newborns born outside of the reporting hospital, but their first admission is within 24 hours of life*

Main Patient Service	53 OBS aborted and NACRS Therapeutic abortion	89 Stillborn
Perinatal Chapter	* 3 fields-Reproductive	1 field in Neonate

- pregnancy outcome
- termination of pregnancy
- # of babies at birth/termination

**only available in therapeutic abortions (TA) with diagnosis of O04^^ and intervention code of 5.CA.88 or 5.CA.89 1*

Institutions of New Brunswick

<u>Hospital No.</u>	<u>Hospital Name</u>
0 0 1*	Dr. Everett Chalmers Regional Hospital
0 0 5	Campbellton Regional Hospital
0 0 9*	Edmundston Regional Hospital
0 1 1	Restigouche Hospital Center
0 1 2	REHAB Stan Cassidy Center (Fredericton)
0 1 5	Centracare
0 1 6	Grand Manan Hospital
0 1 8	Lamèque Hospital and Community Health Centre
0 2 0*	The Moncton Hospital
0 2 2*	Miramichi Regional Hospital
0 2 3*	Hotel Dieu of St-Joseph
0 2 6	Sackville Memorial Hospital
0 2 9*	Saint John Regional Hospital
0 3 1	St-Joseph's Hospital
0 3 2	Hôtel Dieu Saint-Joseph de Saint-Quentin
0 3 3	Charlotte County Hospital
0 3 4	Sussex Health Center
0 3 5	Tracadie-Sheila Hospital
0 3 9*	Chaleur Regional Hospital
0 4 1	Enfant-Jesus RHSJ Hospital
0 4 2	Grand Falls General Hospital
0 4 5	Stella-Maris-de-Kent Hospital
0 4 6	Oromocto Public Hospital
0 4 8*	Dr. Georges-L. Dumont University Hospital Centre
0 4 9*	Upper River Valley Hospital

Institution No.

7601* **Dr. Everett Chalmers Regional Hospital- Midwives (home births)**

*** Institutions highlighted in bold offer Maternal/Neonatal services**

Reproductive Chapter

For all OBS cases with a Main Patient Service (MPS) of **51 - OBS delivered** the following 5 fields are mandatory for data collection.

Gravida

Found on the Labour and Delivery Record/ Antenatal Record

Format - number (00-99)

*The total number of times the patient has been pregnant, **including this pregnancy**. Pregnancies consisting of multiples, are counted as one.

If unknown, code 99.

Parity

Found on the Antenatal Record

Format - number (00-20, 99)

* A fetus of >20 weeks gestation in which there is breathing, beating of the heart, pulsation of the umbilical cord or movement of voluntary muscle. This may be different from the number of previous deliveries (for example, when multiple live births were delivered during the same delivery episode).

Ex: Patient is admitted for a delivery - she already has a set of twins number of previous live births = 02

Refer to the DAD manual, Group 18 - field 05

If unknown, code 99.

Previous Stillbirths

Found on the Antenatal Record / Labour and Delivery Record

Format - number (00- 20, 99)

* A fetus > 20 weeks gestation in which there is no breathing, beating of the heart, pulsation of the umbilical cord or no signs of life.

If unknown, code 99.

Previous Neonatal Deaths

Found on the Antenatal Record / History and Physical

Format - number (00-20, 99)

*Death which occurs during the first 28 completed days of life. Enter the number of previous neonatal deaths.

If unknown, code 99.

Previous Caesarean Sections Found on the Antenatal Record / Labour and Delivery Record / History and Physical

Format - number (00-20, 99)

*Number of previous C-sections.

If unknown, code 99.

For all OBS cases with a Main Patient Service (MPS) of 51 - OBS delivered, 53 - OBS aborted that falls under a therapeutic abortion (TA), and NACRS therapeutic abortions the following 3 fields are mandatory for data collection.

Pregnancy outcome

Found on the Labour and Delivery Record

Dictionary provided

1	Live birth
2	Fetal death >= 20 weeks gestation (stillbirth)
3	Fetal death < 20 weeks gestation (miscarriage, abortion)
4	Unknown/missing value

For multiple births, enter a code for each baby/fetus up to a maximum of 6 entries.

Termination of Pregnancy with congenital anomaly

Found on the Operative Report/ Discharge Summary

*Refers to an induced termination of pregnancy (at any gestational age) after prenatal diagnosis of a congenital anomaly. This includes all genetic, congenital and deformations in the congenital period.

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

If the woman had a termination of pregnancy because of a fetal demise, unwanted pregnancy, mental health issues or any other reason other than a congenital anomaly, please indicate 'No' in this field.

Example:

* Mom was admitted to MPS 53 or NACRS for a termination of pregnancy for an unwanted pregnancy.

Termination of Pregnancy field: NO

* Mom was admitted to MPS 53 or NACRS for a termination of pregnancy due to a congenital anomaly of trisomy 21.

Termination of Pregnancy field: YES

To determine the congenital anomaly, please see the consult from the Maternal Fetal Medicine Unit, or from the available ultrasound that describes the anomalies. If you cannot determine the diagnosis with the documentation available, bring this back to the physician for clarification. It is critical that a code from ICD10 be assigned to these cases. If possible, please determine and assign the appropriate code from Chapter XVII (Q00-Q99).

Number of babies at birth or termination (plurality)

Found on the Operative Report/ Labour and Delivery Record
*Refers to the number of babies the mother was carrying at birth or termination.

Dictionary provided

1	Singleton
2	Twins
3	Triplets
4	Quadruplets
5	Quintuplets
6	Sextuplets or higher
7	Unknown

Pregnant Individuals Information Chapter

Work Status

Found on the Antenatal Record/ Registration form

Dictionary Provided

1	No
2	Part time
3	Full time
5	Employed, not indicated whether full time or part time
4	Unknown

No = Clearly states at home, student, social assistance or volunteer/unemployed

Part time = less than or equal to 28h per week.

Full time = greater than 28h week.

Mother's Education

Found on the Antenatal Record/ Registration form

*Refers to the highest level of education the mother completed, i.e. If the patient has some post secondary (not currently enrolled), then select 'High School with Diploma'

Dictionary Provided

1	Without High School Diploma
2	High School with Diploma
3	Current post-secondary (includes working on college or university completion)
4	College or Trade Certification
5	University with a degree
9	Unknown

Mother's Ethnicity

Found on the Antenatal Record

*Refers to mother's ethnicity and/or racial background. This will help to determine congenital anomalies related to certain population of interest.

Please note you can enter up to 2 different choices in the abstract. Duplicate entry is not allowed within the 4 fields.

*African Canadian has been replaced with African-Decent

*Quebecois has been replaced with French Canadian

Dictionary provided

2	African-Descent
3	Asian
4	Caucasian
5	First Nations
6	Hispanic
7	Jewish
8	Mediterranean
9	Middle Eastern
11	Other
12	Unknown
13	French Canadian

Marital Status

Found on the Antenatal Record/ Registration form

*Refers to the mother's marital status

Dictionary provided

1	Single
2	Married
3	Widowed
4	Divorced
5	Separated
6	Common law
9	Unknown

Partner's Work Status

Found on the Antenatal Record/Registration form

Dictionary Provided

1	No
2	Part time
3	Full time
5	Employed, not indicated whether full or part time
4	Unknown

No = Clearly states at home, student, social assistance or volunteer/unemployed

Part time = less than or equal to 28h per week.

Full time = greater than 28h week.

If the pregnancy is the result of an artificial insemination (donor), enter **98**.

Smoked Before Pregnancy

Found on the Antenatal Record/History and Physical/ Nursing Assessment

*Refers to smoking prior to pregnancy.

Unknown should only be coded if the physician has not marked 'yes' or 'no' on the lifestyle section of the Antenatal Record, and no other documentation clearly states smoking before pregnancy. If 'yes' is mentioned in one place, and 'no' on another, please choose 'yes'.

*No longer includes vaping(e-cigarettes) now captured under Substance use.

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

If you choose No or Unknown, 3M will bypass the next field.

Number of cigarettes

Found on the Antenatal Record/History and Physical / Nursing Assessment

Format – Number

* Code the number of cigarettes smoked per day (01, 02 etc.)

Please note that 1/2 pack is 13 cigarettes, 1 pack is 25 cigarettes.

If the number of cigarettes is in a range, choose the highest number.

*If the women did smoke but the number of cigarettes was not recorded, code 999.

Smoking during pregnancy

Found on the Antenatal Record/Nursing assessment/ History and Physical *Refers to smoking at any time during the prenatal period. The lifestyle of the first visit will vary. The variable will indicate smoking at any time during pregnancy. *Does not include vaping (e-cigarettes).

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

Unknown should only be coded if the care provider has not marked 'Y' or 'N' in the lifestyle section of the Antenatal Record or the Nursing Assessment does not clarify smoking during pregnancy.

If yes is coded in one location only, choose 'Yes'.

If you choose No or Unknown, 3M will bypass the next field.

Number of cigarettes

Found on the Antenatal Record/Nursing assessment/ History and Physical

Format – number

* Code the number of cigarettes smoked per day (01,02 etc.)

Please note that 1/2 pack is 13 cigarettes, 1 pack is 25 cigarettes.

If the number of cigarettes is in a range, choose the highest number.

If the women did smoke but the number of cigarettes was not recorded, code 999.

Exposure to 2nd Hand smoke

Found on the Antenatal Record

*Refers to exposure to second-hand smoke during pregnancy. This includes if the mother is living with a smoker who smokes inside the house, or in a vehicle. This excludes smoking inside the garage, whether attached or detached, or smoking outside.

Dictionary Provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

Alcohol Use Before Pregnancy

Found on the Antenatal Record/ Nursing assessment/ History and Physical

*Refers to use of alcohol before pregnancy or before knowing she is pregnant.

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

If you choose No or Unknown, 3M will bypass the next field.

Alcohol Intake Before Pregnancy

Found on the Antenatal Record

Format - Number (0 to 10)

*Refers to the maximum alcoholic drinks prior to pregnancy. Please choose the closet range listed below.

Dictionary Provided

0	No drinks
1	1 drink / per day
2	2 drinks / per day
3	3 drinks / per day
4	4 + drinks / per day
5	1-2 drinks / per week
6	3-4 drinks / per week
7	1-2 drinks / per month
8	3-4 drinks / per month
10	Other
U	Unknown

If physician writes down "drank socially", please choose 'Other'.

Alcohol Use During Pregnancy

Found on the Antenatal Record/ Nursing assessment/ History and Physical

*Refers to use of alcohol during pregnancy. After the patient knew she is pregnant, did she consume any alcohol. *If you choose No or Unknown, 3M will bypass the next field.*

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

Alcohol Intake During Pregnancy

Found on the Antenatal Record

Format - Number (0 to 10)

*Refers to the maximum alcoholic drinks during pregnancy. Please choose the closest range listed below.

Dictionary Provided

0	No drinks
1	1 drink / per day
2	2 drinks / per day
3	3 drinks / per day
4	4 + drinks / per day
5	1-2 drinks / per week
6	3-4 drinks / per week
7	1-2 drinks / per month
8	3-4 drinks / per month
10	Other
U	Unknown

If physician writes down "drank socially", please choose 'Other'.

Pre-pregnancy Marijuana Use

Found on the Antenatal Record

*Refers to marijuana use prior to pregnancy

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

Pregnancy Marijuana Use

Found on the Antenatal Record

*Refers to marijuana use during pregnancy

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

Assign the code **O35.501**, mandatory, if the woman has any marijuana use during pregnancy.

Pregnancy Marijuana Intake

Found on the Antenatal Record

*Refers to the amount of marijuana consumed by usage.

Dictionary Provided

1	No usage
2	1 use / per day
3	2 uses / per day
4	3 uses / per day
5	4+ uses / per day
6	1-2 uses / per week
7	3-4 uses / per week
8	1-2 uses / per month
9	3-4 uses / per month
10	Other
11	Unknown

Substance use

Found on the Antenatal Record

*Refers to any substance use during pregnancy, now includes opiates and vaping(e-cigarettes). Please note you can enter up to 6 different substances into the abstract. Duplicate entry is not allowed within the 6 fields.

Dictionary Provided

4	Methadone
5	Solvents
6	Other
7	Unknown
8	None
9	Opiates
10	Vaping

If there is no information on the chart about substance use, please choose 'None'

If patient is using marijuana, please choose 'None' it will be captured under the marijuana field.

If the physician writes substance use, but does not indicate what kind, please choose unknown.

***Opiates** include heroin, cocaine, OxyContin, hydromorphone, morphine, codeine, and oxymorphone.

Assign the code **O35.501**, mandatory, if the woman has any substance use.

Folic Acid

Found on the antenatal record

*Indicates the consumption of preconceptual **folic acid (mg)** the patient has taken.

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

**If field is blank, please choose "Unknown".*

Pregnancy on Contraceptive

Found on the Antenatal Record

*Refers to if patient became pregnant while taking a contraceptive

Dictionary Provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

Method of Conception

Found on the antenatal record

*Refers to how the pregnancy was achieved

Physician may select Spontaneous or ART, but will specify method of ART

Dictionary Provided

1	Spontaneous
2	OI
3	IUI
4	IVF
5	ICSI
6	Unknown

Previous OBS History Chapter

Antenatal Provider

Found on the Antenatal Record

*Refers to the individual most responsible for antenatal care.

Dictionary Provided

10	Family practice physician/ General Practitioner
2	Obstetrician
4	Midwife
11	Nurse Practitioner
6	Registered Nurse
5	Other MD (Includes Residents/interns)
8	No Antenatal care
9	Unknown

Please note, in 3M you will also see the choice 12 – No caregiver at delivery, however, you will not be able to select this. A hard edit message will appear. 3M is not able to remove this choice from the dictionary.

First Antenatal visit

Found on the Antenatal Record

Format - YYYY/MM/DD

*Refers to the first prenatal visit with a healthcare provider.

If unknown, leave this field blank.

Intention to Breastfeed

Found on the Birth Plan/ Nursing Assessment/Labour and Delivery Record

*Refers to if the woman intends to breastfeed on admission and/or before delivery.

Dictionary Provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

First Ultrasound date

Found on the Antenatal Record / EMR / Imaging (x-ray) reports

Format - YYYY/MM/DD

*Enter the first ultrasound date available in woman's chart

If unknown, leave this field blank.

Details of First Trimester Ultrasound

EDD According to LMP

(Estimated delivery date)

Found on the Antenatal Record

Format - YYYY/MM/DD

*Refers to estimated delivery date according to last menstrual period (LMP).

Either EDD according to LMP or EDD according to ultrasound must be filled. If both dates are available, then enter both.

EDD According to Ultrasound

(Estimated delivery date)

Found on the Antenatal Record / X-ray Report

Format - YYYY/MM/DD

*Refers to estimated delivery date according to ultrasound.

If the pregnancy was from artificial insemination, please use EDD according to ultrasound, and not EDD from LMP.

Either EDD according to LMP or EDD according to ultrasound must be filled. If both dates are available, then enter both.

Amniocentesis

Found on the Antenatal Record/ Maternal Fetal medicine consult

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

If there is no information in the chart about an amniocentesis being performed, please choose No.

An amnio is a very invasive procedure that must be indicated in the chart, if nothing is there it means the procedure was not performed.

The only time you would choose 'Unknown' in this case, is if the patient's chart had absolutely no prenatal record or information indicated on what procedures the woman received (especially in out of province patients)

CVS

Found on the Antenatal Record/ Maternal Fetal medicine consult

*Refers to if the woman had a chorionic villus sampling.

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

If there is no information in the chart about a CVS being performed, please choose No. A CVS is a very invasive procedure that must be indicated in the chart, if nothing is there it means the procedure was not performed.

The only time you would choose 'Unknown' in this case, is if the patient's chart had absolutely no prenatal record or information indicated on what procedures the woman received (especially in out of province patients)

Maternal Serum testing

Found on the Antenatal Record, Laboratory tests, IWK screening forms

*Refers to if the woman accepted or declined the MSS testing. Also known as QUAD screening, Prenatal Screening, Maternal Screening, Trisomy Screening

Dictionary provided

Y, 1	Accepted
N, 2	Declined
U, 3	Unknown

If you see a result in the chart, assume the woman has accepted the test. If you see no results, and no indication she refused the test, choose 'Unknown.'

Medical Risk Factors

Diabetes Treatment

Found on the Nursing Assessment/History and Physical/Medication Record/ Nursing Medications

Field will autofill to “no diabetes present.” Diabetes treatment field needs to be completed when diabetes O24^^ is coded

Dictionary provided

1	No Diabetes Present
2	Diet Controlled
3	Metformin
4	Insulin
9	Unknown

Urinary Tract Infection

Found on the Antenatal Record/ Nursing Assessment/History and Physical

*Refers to a UTI that was or is present during the current pregnancy.

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

Assign a code, mandatory, from the category O23^^^ if the condition is present at the time of delivery.

Group B Strep Results

Found on the Antenatal Record/Labour and Delivery Record/Nursing Notes/Progress Notes

*Refers to if the patient is Strep B positive, negative, or if they declined testing

Dictionary Provided

1	Positive
2	Negative
3	Declined
9	Unknown

Covid-19 Diagnosis in current pregnancy

Found on the Antenatal Record

*Refers to if the patient is Covid-19 positive at any time during the **current pregnancy**

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

Covid-19 Vaccination

Found on the Antenatal Record

*Refers to the patient receiving the Covid-19 vaccination.

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

Labour and Delivery Chapter

Height in cm

Found on the Antenatal Record/ Nursing Assessment

Format - number

*Refers to the mother's height in centimetres.

Code 999 for an unknown value.

Round up to the nearest whole number.

Please refer to the table below for proper conversion of height.

<u>HEIGHT</u> <u>(feet/inches)</u>	<u>HEIGHT (inches)</u>	<u>HEIGHT (cm)</u>
<u>4'8"</u>	56	142
<u>4'9"</u>	57	145
<u>4'10"</u>	58	147
<u>4'11"</u>	59	150
<u>5'0"</u>	60	152
<u>5'1"</u>	61	155
<u>5'2"</u>	62	157
<u>5'3"</u>	63	160
<u>5'4"</u>	64	162
<u>5'5"</u>	65	165
<u>5'6"</u>	66	168
<u>5'7"</u>	67	170
<u>5'8"</u>	68	173
<u>5'9"</u>	69	175
<u>5'10"</u>	70	178
<u>5'11"</u>	71	180
<u>6'0"</u>	72	183
<u>6'1"</u>	73	185
<u>6'2"</u>	74	188

Pre-Pregnancy Weight (kg)

Found on the Antenatal Record/ Nursing Assessment

Format - number (3 characters)

*Refers to the mother's pre-pregnancy weight in kgs.

Code 999 for an unknown value.

Enter up to one decimal place, when available.

If weight is recorded in a range, code the highest weight.

Pre-Delivery Weight (kg)

Found on the Antenatal Record/ Nursing Assessment

Format - number (3 Characters)

*Refers to mother's weight just before delivery in kilograms.

If the pre-delivery weight is not available on the Nursing assessment, the patient's last weight on the Antenatal Record can be used (if it was documented within 2 week of delivery).

Please note that when kilograms are entered the corresponding number of pounds will be automatically calculated in the next field.

If pre-delivery weight is unknown, add pre-pregnancy weight and weight gain.

Code 999 for an unknown value.

Enter up to one decimal place, when available.

If weight is recorded in a range, code the highest weight.

Type of Labour

Found on the Labour and Delivery Record

Dictionary Provided

1	Spontaneous
2	Induced
3	No Labour

If the woman goes into labour less than 24 hours after the last administration of medication (prostaglandin/oxytocin) for the purpose of inducing labour, the labour should be coded as induced.

If the woman goes into labour more than 24 hours after the last administration of medication (prostaglandin/oxytocin) for the purpose of inducing labour, the labour should be coded as spontaneous.

If the woman is booked for an elective caesarean section and labour did not occur, code 'No Labour'

Indications for Induction

Found on the Labour and Delivery Record

*Refers to the reason why the woman was induced.

Dictionary Provided

1	Post dates
2	SROM (spontaneous rupture of membranes)
3	Decreased Amniotic Fluid/Oligohydramnios
4	Hypertension - PIH (Pregnancy induced hypertension)
5	IDDM/ GDM (Diabetes)
6	IUGR / No growth/Small Gestational Age
7	Twin/ Multiples
8	PUPP/ Cholestatic Jaundice
9	Thrombocytopenia
10	Previous stillbirth/ poor OBS History
18	Eclampsia / Preeclampsia
19	Positive Group B Strep with Rupture of Membranes
13	Macrosomia/ Large Gestational Age
20	Intrauterine Death
21	Fetal Anomaly
22	Low planning Score/ Fetal Distress
23	Previous Fetal Death
24	Advanced Maternal Age
25	Vaginal Bleeding/ Abruption
26	Polyhydramnios
27	History of Precipitate labour
28	Isoimmunisation
29	PROM with Chorioamnionitis
30	PROM without Chorioamnionitis
15	Social/Geographic/ Maternal Choice
16	Other
17	No indications given

Oxytocin (to induce)

Found on the Labour and Delivery Record

*Refers to if the woman was given IV oxytocin to induce labour.

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

Assign a code, mandatory, from category 5.AC.30.HA-I2

*Oxytocin can only be given through **IV (intravenous)**.

Prostaglandin (to induce)

Found on the Labour and Delivery Record

*Refers to if the woman was given intra-vaginal/intra-cervical/oral prostaglandin to induce labour.

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

Assign a code, mandatory, from category 5.AC.30.CK^^, 5.AC.30.CA^^

*Prostaglandin can only be given intra-vaginal, intra-cervical or oral

Unknown can not be selected.

Membrane Rupture Date/Time

Found on the Labour and Delivery Record

Format - YYYY/MM/DD HH/MM

*If there is more than one rupture of membranes, record the earliest time.

If the woman has an elective C-section and there is no history of prior rupture of membranes, use the time of birth as the rupture of membranes since the membranes would have been ruptured at the time of delivery.

If unknown, leave blank.

**** If the patient comes in for an elective c-section, there is no membrane rupture (or it is included in the procedure), therefore we assign the date/time of the delivery instead of the membrane rupture.**

Tocolytics Administered

Found on the Labour and Delivery Record/ Medication Record/Nursing Assessment

*Refers to medication used to suppress premature labour. The woman will receive this if the delivery would result in premature birth.

Ex: calcium channel blockers (nifedipine) and NSAIDs (indomethacin)

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

Antenatal Steroids

Found on the Medications Record/ Nursing medications

*Refers to any prenatal steroids given to women at risk of a premature birth.

Dictionary Provided

1	One complete course
2	One incomplete course
3	None

COMPLETE - is defined as two doses of 12 mgs of corticosteroids (Betamethasone, beta, celestone, dexamethasone, cortisone) given 24 hours apart or 6mgs of dexamethasone, given 12 hours apart any time before delivery.

INCOMPLETE - is defined as one dose given at any time prior to delivery. If the chart does not mention steroid administration, assume none.

If no dates if administration are given, but the chart refers to 'complete' or 'partial' doses, code as such.

If no dates of administration are given and the chart does not refer to completeness but indicates that steroids were administered, score as 'One incomplete course'. If the chart specifies two or more doses were administered score as 'One complete course'.

Fetal Heart Monitor

Found on the Labour Partogram/ Labour and Delivery Record

*Refers to the method of fetal surveillance used during monitoring of the labour.

Dictionary provided

4	Intermittent Auscultation (IA)
5	Continuous External Monitoring
6	Continuous Internal Monitoring

IA is recommended for healthy women without risk factors for adverse outcomes.

External Monitoring is the use of EFM (Electronic Fetal Monitoring).

Internal Monitoring is the use of internally placing EFM patches on the baby's head for fetal surveillance.

If no Labor partogram is in the chart or it is an elective C-section, please choose IA. Some Fetal Monitoring will always be done.

If two different methods were used for monitoring, please use the most "invasive" method. Internal Monitoring is considered the most invasive.

Mode of Delivery

Found on the Labour and Delivery Record/Operative Report/Birth Record

*Refers to the mode of delivery used to deliver the baby(ies).

Dictionary Provided

1, ABD	Abdominal (laparotomy)
2, CSC	C-section combined transverse and vertical incision-inverted T / J incisions (this refers to uterine incision, not skin incision)
3, CSH	C-section / hysterectomy
4, CST	C-section, low segment transverse incision
5, CSV	C-section, classical incision (vertical incision in the body of the uterus)
6, CSU	C-section, type unknown
7, LVS	C-section, vertical incision
8, VAG	Vaginal
9, VAG-INST	Vaginal with Instrumentation
10, CWI	C-section with instrumentation

For cases with multiple births, please choose the mode of delivery for each baby. You can choose up to 4 different modes of delivery. If a c-section, transverse incision (or any type) and instrumentation was used during delivery, please choose *C-section with instrumentation*.

If a patient has a trial of forceps that fails, then proceeds to a c-section without any further instrumentation, please select 'C-section with instrumentation.'

Indication for Caesarean

Found on labour and delivery record

*Refers to the reason why the patient received a caesarean

Dictionary Provided

1	Advanced Maternal Age
2	Abruptio placenta
3	Breech
4	Transverse lie
5	Diabetes
6	Dystocia (includes Cephalopelvic disproportion, cervical stenosis)
7	Failed Induction
8	Failure to progress
9	Fetal Distress
10	Fetal Growth restriction
11	HIV
12	Maternal herpes simplex infection
13	Hypertensive disorders
14	Isoimmunization
15	Macrosomia suspected
16	Maternal choice (excludes due to previous c-section)
17	Maternal Exhaustion
18	Malpresentation (excluded breech and transverse lie)
19	Multiple pregnancy
20	Other Obstetrical conditions
21	Other Fetal conditions
22	Previous c-section
23	Prolapse cord
24	Placenta Previa
25	Previous traumatic delivery (3rd + 4th degree tear)
26	Prolonged ruptured of membranes >18hr
27	Prolonged ruptured of membranes >24hr
28	Fetal anomaly
29	Suspected/imminent uterine rupture
30	Diseases of the cervix
31	Uterine surgery
32	Post-mortem c-section
33	Concern for fetal well-being
99	Unknown

VBAC Eligibility

Found on the antenatal record

*Refers to if patient is eligible for a VBAC (vaginal birth after caesarean)

Dictionary Provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

Pain Management Method

Found on the Labour and Delivery Record/ Operative Report

*Refers to any anesthesia given to the woman for pain management during the total phase of labour and delivery.

*Please note you can enter up to a maximum of 4 different pain management methods into the abstract. Duplicate entry is not allowed within the 4 fields.

Dictionary Provided

1	None
2	Local
3	Pudendal (nerve block)
4	Entonox
5	Epidural
6	Spinal
7	General
8	Narcotics (Includes fentanyl/versed)
9	Other

The pain management method includes any anesthesia/analgesia that the woman received during her first stage labour up until delivery (including any retained products of conception).

Neonate Chapter

Presentation of Fetus

Found on the labour and delivery/OR record

*Refers to the presentation of the fetus

Dictionary provided

1	Breech
2	Brow
3	Compound presentation
4	Face
5	Frank breech
6	Footling breech
7	Persistent occiput posterior (ROP, LOP, OP)
8	Shoulder presentation
9	Vertex (Cephalic, LOA, ROA, OT, ROT, LOT, OA, Transverse)
99	Unknown

Place of birth

Found on the Admission/Discharge notes/ Neonatal Transfer Form /
Nursing notes

*Refers to the place of birth the baby was born.

Dictionary provided

1	Clinic/Doctors office
2	Free Standing Birth Center
3	Hospital
4	In transport
5	Other
6	Residence

Gestational Age

Found on the Labour and Delivery Record/ Admission and Discharge
notes

Format - Number (2 digits), Number (1 digit)

Ex: 39 weeks and 6 days

Validation Rule - a number greater than 44 is not valid for the number
of weeks. A number greater than 6 is not valid for days.

If the days are not available, code '0' for days.

If gestational age is not available enter 99 for the weeks and 9 for
the days for unknown.

Neonatal Assessment

Found on the Newborn Admission and Discharge report / Baby Record

Format - Number (2 digits), Number (1 digit)

Ex: 39 weeks and 6 days

*Enter the gestational age of the neonate when the newborn assessment was done.

Validation Rule - a number greater than 44 is not valid for the number of weeks. A number greater than 6 is not valid for days.

If the days are not available, code '0' for days.

If gestational age is not available enter 99 for the weeks and 9 for the days for unknown.

Birth Length (cm)

Found on the Newborn Admission and Discharge Report/ Baby Record

Format - Number

Maximum value is '99'

If unknown, code '99'

Head Circumference (cm)

Found on the Newborn Admission and Discharge Report/ Baby Record

Format - number

*This refers to the **birth** head circumference.

Maximum value is '99'.

If the value is unknown, code '99'.

Apgar Score 1 minute

Found on the Labour and Delivery Record/ Newborn Admission and Discharge Report/ Baby Record

Format - number (0-10)

If the value is unknown, code 99.

Apgar Score 5 minute

Found on the Labour and Delivery Record/ Newborn Admission and Discharge Report/ Baby Record

Format - number (0-10)

If the value is unknown, code 99.

Ventilation: Bag and Mask

Found on the Labour and Delivery Record/ Neonatal Respiratory Care form

*This includes ventilation with bag and mask, CPAP, or any non-invasive PPV (Positive Pressure Ventilation).

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

Delayed/Deferred Cord Clamping

Found on the Newborn Admission and Discharge Report/ Nursing Notes

*Refers to a delay in cord clamping (over 30 seconds) to allow blood from cord to flow to baby

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

If you choose No, Unknown, 3M will bypass the next field.

Time of Delayed Cord Clamping

Found on the Newborn Admission and Discharge Report/ Nursing Notes

*Refers to how long the delay of cord clamping lasted

Dictionary provided

1	30-59 seconds
2	60-120 seconds
3	Over 120 seconds
9	Unknown

Abnormal Conditions of the Newborn

Admission to SCU

Found on the labour and delivery record, nursing notes

*Refers to if the patient was admitted to the special care unit

*Only effective in Miramichi

Dictionary provided

Y, 1	Yes
N, 2	No
U, 3	Unknown

Stillborn Cases

For all cases with a Main Patient Service (MPS) of **89 - Stillborn**, the following field must be filled in the abstract

Stillborn

Found on the Labour/Delivery Record

Dictionary provided

1	Death before Labour onset
2	Death during Delivery/Labour

When **MPS '54'** this field will automatically bypass.

When **MPS '89'**, this field only (in this chapter) will be available for entry.

Project 400- Infant Feeding Form - OLD

Uninterrupted Skin to Skin with mother

Found on infant feeding form

Y, 1	Yes
N, 2	No

Breastmilk during Hospital stay

Found on infant feeding form

1	Yes
2	No
3	The newborn was not fed in this facility

*If 3 is selected do not answer the following questions 3-5.

From Birth to discharge/transfer from hospital

Found on infant feeding form

1	Breastmilk only
2	Breastmilk and other liquid(s)
3	Infant formula only

*If infant formula only do not answer question 4

Breastmilk at discharge/transfer

Found on infant feeding form

Y, 1	Yes
N, 2	No

Medical conditions affecting

Found on infant feeding form

Y, 1	Yes
N, 2	No

Project 400- Infant Feeding Form - NEW

1.1 Skin-to-skin Immediate

Found on infant feeding form

1	Yes
2	No
3	Not applicable
4	Infant not born in this facility

1.2 Skin-to-skin Uninterrupted

Found on infant feeding form

1	Yes
2	No
3	Not applicable
4	Infant was not fed in this facility

*If 4 is selected do not answer the following questions
2.1-2.4

2.1 Breastfed prior to hospital discharge

Found on infant feeding form

1	Yes
2	No
3	Infant was not fed in this facility

*If 3 is selected do not answer the following questions
2.2-2.4

2.2 Breastfed within 1 hour

Found on infant feeding form

1	Yes
2	No
3	Not applicable

2.3 Feeding Birth to discharge/transfer

Found on infant feeding form

1	Breastmilk only
2	Breastmilk and other liquid(s)
3	Infant formula only

2.4 Medical conditions affecting

Found on infant feeding form

Y, 1	Yes
N, 2	No

Midwifery Care Record-Maternal

For all maternal midwifery care records

Date of first prenatal visit
(with a midwife)

Found on the midwifery care record-Maternal
Date in YYYY/MM/DD

Gestational age
(at first prenatal visit)

Found on midwifery care record-Maternal
Format in weeks

Intended place of birth during
prenatal period

Found on the midwifery care record-Maternal
Dictionary provided

1	Hospital
2	Home

Intended place of birth at onset of
active labour

Found on the midwifery care record-Maternal
Dictionary provided

1	Hospital
2	Home

Actual place of birth

Found on the midwifery care record-Maternal
Dictionary provided

1	Hospital
2	Home
3	Other

Labour

Found on the midwifery care record-Maternal

*Refers to if Emergency Medical Services (EMS)
Was called to the home at any time during
labour.

Dictionary provided

Y, 1	Yes
N, 2	No

Birth

Found on the midwifery care record-Maternal

*Refers to if Emergency Medical Services (EMS) Was called to the home at any time during birth.

Dictionary provided

Y, 1	Yes
N, 2	No

Immediate Postpartum

Found on the midwifery care record-Maternal

*Refers to if Emergency Medical Services (EMS) Was called to the home at any time during Immediate postpartum.

Dictionary provided

Y, 1	Yes
N, 2	No

Was there a transfer to hospital using EMS during a planned hospital birth?

Found on the midwifery care record-Maternal

Dictionary provided

Y, 1	Yes
N, 2	No

Was there a transfer to hospital using EMS during a planned home birth?

Found on the midwifery care record-Maternal

Dictionary provided

Y, 1	Yes
N, 2	No

If 'No' is selected 3M will bypass the next field

If yes, was the transfer by:

Found on the midwifery care record-Maternal

Dictionary provided

1	Car
2	EMS(non-urgent)
3	EMS (urgent)

Second attendant during a home birth

Found on the midwifery care record-Maternal

Dictionary provided

1	Registered Midwife
2	EMS
3	Second Attendant

Was there a Transfer of Care to another care provider during pregnancy labour or postpartum

Found on the midwifery care record-Maternal

Dictionary provided

Y, 1	Yes
N, 2	No

If yes, was the transfer temporary or permanent

Found on the midwifery care record-Maternal

Dictionary provided

1	Temporary
2	Permanent

Was there a consultation with another care provider

Found on the midwifery care record-Maternal

Dictionary provided

1	Antepartum
2	Intrapartum
3	Postpartum
3	No

*Multiple Occurrence field

Did the client leave midwifery care during pregnancy?

Found on the midwifery care record-Maternal

Dictionary provided

Y, 1	Yes
N, 2	No

If 'No' is selected 3M will bypass the next field

If yes, why?

Found on the midwifery care record-Maternal

Dictionary provided

1	Pregnancy Loss
2	Pregnancy Termination
3	Other Medical Reasons
4	Relocation
5	Client choice
6	Midwife choice
7	Other

Does the client fall into any of the following population categories

Found on the midwifery care record-Maternal

Dictionary provided

1	Poverty
2	Food Insecurity
3	Inadequate housing
4	Social Isolation due to language barrier
5	Social Isolation due to cultural barrier
6	Social Isolation due to rural distances
7	Social Isolation due to immigration/refugee status
8	Social Isolation due to extended absence of partner for employment
9	Social Isolation due to incarceration
10	Identifies as LGBTQ
11	Single parent
12	Receiving Social Assistance
13	Less than 21 years old at time of delivery
14	Student
15	Military or partner in Military
16	Minority by race, religion, or ethnicity
17	First nations, Metis, or Inuit
18	Has not completed high school education

19	Cognitive, physical, or behavioural disabilities
20	Current/previous domestic or sexual abuse
21	Addictions or mental health concerns
22	Significant previous trauma related to pregnancy or childbirth
23	History of involvement with child protection
24	Requesting vaginal birth after caesarean
25	Requesting home birth
26	Other
27	None

Date of discharge from Midwifery care

Found on the midwifery care record-Maternal

Date in YYYY/MM/DD

Midwifery Care Record-Infant

For all home and hospital births

If baby was born in hospital, start on question 5 (Feeding from birth to discharge from Midwifery services)

Skin to Skin

Found on the midwifery care record-Maternal

Dictionary provided

Y, 1	Yes
N, 2	No

First feeding after birth

Found on the midwifery care record-Infant

Dictionary Provided

1	Breast milk
2	Infant formula
3	Infant not fed in this facility

***If newborn not fed in home (transferred to hospital or neonatal death do not answer questions 3 and 4)**

Did the infant experience any of the following medical conditions?

Found on the midwifery care record-Infant

Dictionary provided

Y, 1	Yes
N, 2	No

***In 3M only "Yes" or "No" option**

Did the mother experience any of the following medical conditions?

Found on the midwifery care record-Infant

Dictionary provided

Y, 1	Yes
N, 2	No

***In 3M only "Yes" or "No" option**

Feeding from birth to discharge from Midwifery services

Found on the midwifery care record-Infant

Dictionary Provided

1	Breast milk
2	Infant formula
3	Infant not fed in this facility

Indication for Supplementation

Found on the midwifery care record-Infant

Dictionary Provided

1	Birth weight less than 1500g
2	Gestational age less than 32 weeks
3	Hypoglycemia due to impaired metabolic adaptation or increased glucose demand
4	Significant weight loss in presence of clinical indications
5	Clinical indication of insufficient milk intake
6	Metabolic disorder
7	Maternal severe illness
8	Herpes simplex virus 1-lesions on the breast
9	Maternal medications
10	Breast surgery
11	Maternal choice
12	Other

Transfer of Care to another primary provider

Found on the midwifery care record-Infant

Dictionary provided

Y, 1	Yes
N, 2	No

Consultation with another care provider

Found on the midwifery care record-Infant

Dictionary provided

Y, 1	Yes
N, 2	No

Discharge date from Midwifery care

Found on the midwifery care record-Infant

Date in YYYY/MM/DD

Maternal and Newborn Diagnostic and Intervention Codes

For further coding and abstracting instructions and mandatory data collection, please refer to the Canadian Coding Standards, the Discharge Abstract Database manual (DAD) as well as any coding/abstracting instructions given by Department of Health. Please refer to the ICD-10-CA/CCI Folio Program for a complete list of approved diagnostic and interventions codes for maternal, newborn and congenital anomaly coding.

ICD-10-CA Chapters

Chapter XV - Pregnancy, childbirth, and the puerperium (O00-O99)

Chapter XVI - Certain conditions originating in the perinatal period (P00-P96)

Chapter XVII - Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)

CCI Sections

Section 5 - Obstetrical and Fetal Interventions

Contact Information

For any Feedback, comments, or questions regarding any section of the NB Perinatal Health Program coding manual, please contact:

Sarah Mallais, *CHIM/CGIS*, Informatics Coordinator for PerinatalNB

Phone: **506-870-2454**

Email: **sarah.mallais@horizonnb.ca**

Appendix A - List of field changes and modifications

Reproductive Chapter

Gravida – moved from Prev OBS History
Parity – moved from Prev OBS History
Number of Previous Stillbirths – moved from Prev OBS History
Number of Previous C/S – moved from Prev OBS History
Number of Previous Neonatal Deaths – moved from Prev OBS History

Pregnant Individuals Information Chapter

Prenatal Record Available- removed
Smoking at Time of Delivery- removed
Number of Cigarettes Per Day- removed

Previous OBS History Chapter

Number of Previous Term Births- switched to CIHI field
Number of Preterm Births- switched to CIHI field
Number of Previous Spontaneous Abortions- switched to CIHI Field
Number of Therapeutic Abortions- switched to CIHI field
Pre-existing Diabetes-removed
Insulin required- removed
Gestational Diabetes- removed
Insulin required- removed
Diabetes Treatment- added
Anemia- removed
Pre-Existing Hypertension-removed
Gestational Hypertension- removed
Preeclampsia/Eclampsia- removed
Covid 19 dose- removed

Labour and Delivery Chapter

Height in Inches- removed
Pre-pregnancy Weight (lbs.)- removed
Pre-Delivery Weight (lbs.)- removed
Spontaneous Rupture- removed
ARM- removed
Caregiver at Delivery- removed
PROM- removed

Neonate Chapter

Gestational Age Method- removed
Neonatal Withdrawal Scoring tool- removed
Treatment for Withdrawal- removed
Delayed Cord Clamping- added
Time of Delayed Cord Clamping- added